Tier III Interconnection Application

This form is for Distributed Energy Resources (DERs) that meets the eligibility of a Tier III track.

The Interconnection Application is to be filled out completely by the applicant or as noted in each section of the application. Section that are noted with * are required to be filled out along with bolded items.

Checklist for Submission to Nodak Electric Cooperative

The items below shall be included with submittal of the Interconnection Application to Nodak Electric. Failure to include all items will deem the Interconnection Application incomplete.

	Included
Non-Refundable Processing Fee	🗆 Yes
One-line diagram	□ Yes
 Please see Nodak Electric's Technical Requirement for more details. 	
Site Diagram showing DER system layout (See Technical Requirements for more	
details)	

Possible Additional Documentation (See Technical Requirements for more details)

- If requesting the DER export capacity to be limited, include information material explaining the limiting capabilities.
- Schematic drawings for all protection and control circuits, relay current circuits, relay potential circuits, and alarm/monitoring circuits (if applicable).
- Documentation that describes and details the operation of protection and control schemes (if applicable).
- Inverter Specification Sheet(s) (if applicable).

Interconnection Customer/Owner *		
Full Name (match name of electric service account, if a	pplicable):	
Account Number:	Meter Number:	
Mailing Address:		
Email:	Phone:	
	·	

Application Agent *

Is the Customer using an Application Agent for this application?	🗆 Yes	🗆 No
If Interconnection Customer is not using an Applicant Agent, pl	ease continue	to next section.
Application Agent:		
Company Name:		
Email:	Phone:	

DER Location *

Is the proposed DER system to be located at the Interconnection Customer's mailing address:
If Yes, please continue to the next section.
If No, will the proposed DER system be interconnected to an existing electric service? Yes No

Please provide the address or GPS coordinates:

If not an existing service, please state the proposed service entrance size (amps):

Gene	ral *			
Choose	one of the following and provide applicable da	ta:		
	Application is for a new DER			
	Aggregate DER nameplate rating of all generat	ion and storage types (kW AC):		
	Application is for a Capacity Addition to an exis	ting DER		
	Capacity of existing DER (kW AC):	Capacity proposed to be added (kW AC):		
Application is for a Material Modification to an existing DER				
If Material Modification to existing facility, please describe:				
Distributed Energy Resource will be used for what reason? (Check all that apply):				
□ To only supply power to Interconnection Customer □ To only supply power to Nodak Electric				
To supply power to the Interconnection Customer and Nodak Electric				
Type of	f Generator (check all that apply):	nverter 🛛 Induction or Synchronous		

Distributed Energy Resource Information *					
Phase configuration of Distributed Energy Resource(s): Single-Phase Three-Phase					
DER Type (Check all that	apply and list aggregate capacity	of each type):			
□ Solar Photovoltaics	Size (kW AC):	□ Wind	Size (kW AC):		
□ Storage	Size (kW AC):	Diesel	Size (kW AC):		
Natural Gas	Size (kW AC):	🛛 Fuel Oil	Size (kW AC):		
□ Hydro Type	Size (kW AC):	□ Other	Size (kW AC):		
Please specify other:					

Export Capacity Limitation *

Is the Maximum Physical Export Capacity request the same as the nameplate capacity:
Yes No

If Yes, please continue to the next section.

If No, what is the Maximum Physical Export Capacity Requested (kW_{ac}):

Is the Export Capacity Limited (e.g. though the use of a control system, power relay(s), or other similar devices setting of adjustment?): Yes No

If Yes, please attach detailed information describing the method of limiting export capacity.

Interconnection Facilities Information *

What type of DER Interconnection/Transfer Method is Proposed?

D None (DER is never operating parallel with the distribution system)

- Extended Parallel/Continuous (The normal state of the DER is to operate parallel with the distribution system.)
- Limited (DER operated parallel with the distribution system for a short time). Please specify what type of Limited.
 - Quick Closed (100 msec parallel or less)

|--|

Will a transfer switch be used with the DER? Yes No				
Manufacturer:	Model:	Load Rating (in Amps):		
Will a transformer, owned by the Interconnection Customer, be used between the DER and the Point of Common Coupling?		□ Yes □ No		
Please show proposed location of protective interface equipment on property on the submitted site diagram.				

Transformer Data (For Interconnection Customer-Owned Transformer) (if applicable) (Ex. Transformers used for secondary voltage conversion or primary metered interconnections)					
What is the phase configu	ration of th	ne transfor	mer?	□ Single Phase □ Three Phase	
Size (kVA):			Transformer Impedance (%):	On kVA	Base:
Transformer Volts: (Primary)	Delta:		Wye:		Wye Grounded:
Transformer Volts: (Secondary)	Delta:		Wye:		Wye Grounded:
Transformer Volts: (Tertiary)	Delta:		Wye: Wye Grounde		Wye Grounded:
Transformer Fuse Data (For Interconnection Customer-Owned Fuse)					
Manufacturer:	Type:		Size:		Speed:
Interconnecting Circuit Breaker (For Interconnection Customer-Owned Circuit Breaker) (if applicable)					
Manufacturer: Type:					
Load Rating (in Amps): Interrupting Rating (In Amps): Trip Speed (Cycles):				ed (Cycles):	
Interconnection Protective Relays: Please show protective relay manufacturer, model and type on the one-line diagram.					
Current and Potential Transformer Data: Please show CT ratios and CT/PT locations on one-line					

Fill out all following sections which pertain to the proposed DER installation

Inverter Interconnected System Information – non ESS (if applicable)			
Aggregate Inverter Rating (kW AC):	Number of Total Inverters:		
Phase configuration of inverter(s):	hase 🗖 Three-Phase		
Voltage of Inverter(s):			
Inverter Manufacturer:			
1. Model No.	Certification		
	□ UL 1741 □ UL 1741-SA □ UL 1741-SB		
Inverter Rating (kW AC):	Number of Units of this Model:		
2. Model No.	Certification		
	□ UL 1741 □ UL 1741-SA □ UL 1741-SB		
Inverter Rating (kW AC):	Number of Units of this Model:		
3. Model No.	Certification		
	□ UL 1741 □ UL 1741-SA □ UL 1741-SB		
Inverter Rating (kW AC):	Number of Units of this Model:		
4. Model No.	Certification		
	□ UL 1741 □ UL 1741-SA □ UL 1741-SB		
Inverter Rating (kW AC):	Number of Units of this Model:		

Energy Storage System Information (if applicable)				
ESS Inverter Energy Rating (kWh AC):	ESS Inverter Capacity Rating (kW AC):			
How will the ESS be used? Select all Use Cases that apply.□Outage Protection/Backup Power□□Time-of-Use Energy Management□□Increased S	duction			
Please specify other:				
What Operating Modes will be used? Select only one Ope Import Only Export Only	rating Mode. Io Exchange Unrestricted Exchanged			
If Export Only is Checked, select all that apply. ESS Export is Allowed Limited Export is Allowed (please specify export limit allow)	ed mount in kW):			
Is the ESS recharging limited to certain times of the day and/or after a power outage? Yes No If Yes, please explain:				
If the ESS shares an inverter that is listed in the previo	ous section, please skip the rest of this section.			
Aggregate ESS Inverter Rating (kW AC): Number of Total ESS Inverters:				
Phase configuration of ESS inverter(s):				
Voltage of ESS Inverter(s):				
ESS Inverter Manufacturer:				
1. Model No.	Certification UL 1741 UL 1741-SA UL 1741-SB			
Inverter Rating (kW AC):	Number of Units of this Model:			
2. Model No.	Certification UL 1741 UL 1741-SA UL 1741-SB			
Inverter Rating (kW AC):	Number of Units of this Model:			
3. Model No.	Certification UL 1741 UL 1741-SA UL 1741-SB			
Inverter Rating (kW AC):	Number of Units of this Model:			
4. Model No.	Certification UL 1741 UL 1741-SA UL 1741-SB			
Inverter Rating (kW AC):	Number of Units of this Model:			

Rotating Generation System Information (if applicable)					
Prime Mover Information					
Please indicate the prime mover:					
□ Microturbine □ Reciprocating E	ngine 🛛 Hydro	o 🛛 Wind	□ Ot	her (please spec	ify)
Generator type Induction	Synchronous				
Manufacturer: Model Name		& Number: V		Version:	
Summer Name Plate Rating:	kW _{ac}	Summer Nar	ne Plate Rati	ng:	kW _{ac}
Winter Name Plate Rating:	kVA _{ac}	Winter Nam	e Plate Rating	···	kVA _{ac}
Rated Power Factor: Leading:			Lagging:		

Distributed Energy Resource Characteristic Data (for Synchronous machines)		
RPM Frequency:	Neutral Grounding Resistor:	
Direct Axis Synchronous Reactance, X_d :	Zero Sequence Reactance, X_0 :	
Direct Axis Transient Reactance, X'_d :	KVA Base:	
Direct Axis Sub transient Reactance, X_d'' :	Field Volts:	
Negative Sequence Reactance, X_2 :	Field Amperes:	
For Synchronous Generators 1 MW or larger , please provide the appropriate IEEE model block diagram of excitation system, governing system and power system stabilizer (PSS) in accordance with the regional reliability council criteria. A PSS may be determined to be required by applicable studies. A copy of the		

manufacturer's block diagram may not be submitted.

Distributed Energy Resource Characteristic Data (for Induction machines)		
RPM Frequency:	Neutral Grounding Resistor:	
Motoring Power (kW):	Exciting Current:	
Heating Time Constant:	Temperature Rise:	
Rotor Resistance, R _r :	Frame Size:	
Stator Resistance, R _s :	Design Letter:	
Stator Reactance, X _s :	Reactive Power Required In Vars (No Load):	
Rotor Reactance, X _r :	Reactive Power Required In Vars (Full Load):	
Magnetizing Reactance, X_m :	Total Rotating Inertia, H:	
Short Circuit Reactance, X_d'' :		

Additional Documentation

On the one-line diagram, show the interconnection transformer and provide the transformer winding configuration, primary and secondary transformer voltage, transformer protection information and expected impedance. Show how the transformer will be protected to meet the NEC requirements.

See Nodak Electric's Technical Requirement for required information that needs to be on the one-line and site diagram and for example application documentation.

See the Interconnection Process for additional requirements related to Site Control and insurance documentation.

Acknowledgements – Must be completed by Interconnection Customer *

	Initials
The Interconnection Customer has opportunities to request a timeline extension	
during the interconnection process. Failure by the Interconnection Customer to	
meet or request an extension for a timeline outlined in the Interconnection Process	
could result in a withdrawn queue position and the need to re-apply.	

Application Signature – Must be completed by Interconnection Customer *

I designate the individual or company listed as my Application Agent to serve as my agent for the purpose of coordinating with Nodak Electric on my behalf throughout the interconnection process.

I hereby certify that, to the best of my knowledge, the information provided in this Interconnection Application is true and correct and I have appropriate Site Control in conformance with the Interconnection Process. I agree to abide by Nodak Electric's Interconnection Process and Technical Requirements.

Applicant Signature:

Please print clearly or type and return completed along with any additional documentation

Initials

Date: